



WOODEN WINDOW (TIMBER WINDOW) - SOUND INSULATION SOLUTION **SIP-3**




- window sound insulation R_w -36 dB**
- glass sound insulation R_w -35 dB*
- window thermal conductivity U -1,24 W/m²K
- glass thermal conductivity U -1,1 W/m²K
- 2 x seal
- 2 x glass **26mm** (6mm clear + 4mm clear/LowE)
- 1 x 16mm Swisspacer - synthetic composite material glass spacer profile
- 1 x argon filling

- ① window frame
- ② window sash
- ③ assembly foam grooves (at the sides and upper edge of the window frame)




* glass producers datas
** complete windows predictable datas

WOODEN WINDOW (TIMBER WINDOW) - SOUND INSULATION SOLUTION **SIP-4**



- window sound insulation R_w -38 dB**
- glass sound insulation R_w -37 dB*
- window thermal conductivity U -1,24 W/m²K
- glass thermal conductivity U -1,1 W/m²K
- 2 x seal
- 2 x glass **32mm** (8mm clear + 6mm clear/LowE)
- 1 x 18mm Swisspacer - synthetic composite material glass spacer profile
- 1 x argon filling

- ① window frame
- ② window sash
- ③ assembly foam grooves (at the sides and upper edge of the window frame)



* glass producers datas
** complete windows predictable datas